

Perfect Corporation, INDORE

www.perfectcorp.in info@perfectcorp.in

9993440363, 9993519656



| | Description | Contact blocks and scheme per direction for "Emergency stop" | Item NO. |
|--|--|--|-----------|
| | 2 mechanically interlocked | 1N/C+NO+NO staggered XEN-G1191 | XAC A291 |
| | 2 mechanically interlocked + 1 trigger action latching "Emergency stop" ø 30mm Operator ZA2 BS44 | 1N/C+NO+NO staggered XEN-G1191 1N/C ZB2 BE102 | XAC A2913 |
| | 4 mechanically interlocked between pairs | 1N/C+NO+NO staggered XEN-G1191 | XAC A491 |
| | 4 mechanically interlocked between pairs + 1 trigger action latching "Emergency stop" ø 30mm Operator ZA2 BS44 | 1N/C+NO+NO staggered XEN-G1191 1N/C ZB2 BE102 | XAC A4913 |
| | 6 mechanically interlocked between pairs | 1N/C+NO+NO staggered XEN-G1191 | XAC A691 |
| | 6 mechanically interlocked + 1 trigger action latching "Emergency stop" ø 30mm Operator ZA2 BS44 | 1N/C+NO+NO staggered XEN-G1191 1N/C ZB2 BE102 | XAC A6913 |
| | 8 mechanically interlocked between pairs | 1N/C+NO+NO staggered XEN-G1191 | XAC A891 |
| | 8 mechanically interlocked + 1 trigger action latching "Emergency stop" ø 30mm Operator ZA2 BS44 | 1N/C+NO+NO staggered XEN-G1191 1N/C ZB2 BE102 | XAC A8913 |

Perfect Corporation, INDORE

www.perfectcorp.in info@perfectcorp.in

9993440363, 9993519656



| | Description | Contact blocks and scheme per direction for "Emergency stop" | Item NO. |
|--|--|--|-----------|
| | 2 mechanically interlocked | ZB2-BE101 | XAC A271 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A281 |
| | 2 mechanically interlocked + 1 trigger action latching "Emergency stop" ø 30mm Operator ZA2-BS44 | ZB2 BE101 ZB2 BE102 | XAC A2713 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A2813 |
| | 4 mechanically interlocked between pairs | ZB2 BE101 ZB2 BE102 | XAC A471 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A481 |
| | 4 mechanically interlocked between pairs + 1 trigger action latching "Emergency stop" ø 30mm Operator ZA2-BS44 | ZB2 BE101 ZB2 BE102 | XAC A4713 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A4813 |
| | 6 mechanically interlocked between pairs | ZB2 BE101 ZB2 BE102 | XAC A671 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A681 |
| | 6 mechanically interlocked between pairs + 1 trigger action latching "Emergency stop" ø 30mm Operator ZA2-BS44 | ZB2 BE101 ZB2 BE102 | XAC A6713 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A6813 |
| | 8 mechanically interlocked between pairs | ZB2 BE101 ZB2 BE102 | XAC A871 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A881 |
| | 8 mechanically interlocked between pairs + 1 trigger action latching "Emergency stop" ø 40mm Operator ZA2-BS44 | ZB2 BE101 ZB2 BE102 | XAC A8713 |
| | | ZB2 BE102 + ZB2 BE101 | XAC A8813 |

Perfect Corporation, INDORE

www.perfectcorp.in info@perfectcorp.in

9993440363, 9993519656

Specification

| | |
|----------------------------------|---|
| Functions: | 1 or 2 speed up, down, right, and left movements, etc.; emergency stop (ZA2-BS44, ZA2-BS54) available |
| Conformity to standards | IEC 947-5-1, EN 60947-5-1 |
| Ambient air temperature | For operation °C - 25...+ 70 For storage °C - 40...+ 70 |
| Vibration resistance | 15 gn (10...500 Hz) conforming to IEC 68-2-6 |
| Shock resistance | 100 gn conforming to IEC 68-2-27 |
| Electric shock protection | Class II conforming to IEC 536 and NF C 20-030 |
| Degree of protection | IP 65 conforming to IEC 529; IK 08 conforming to EN50102 |
| Mechanical durability | 3 millions operating cycles |
| Enclosure | Double insulated polypropylene, coloured yellow throughout |
| Cable entry | Rubber sleeve with stepped entry diameter for cable Ø 8...Ø 26 ameter for cable Ø 8...Ø 26mm |
| Certification: | CE marking |

XAC crane pushbutton for ,hoist,XAC hoist switches, item number for schneider pushbutton switch:
XACA271, XACA281, XACA291, XACA2713, XACA2813, XACA2913 push button pendant
XACA471, XACA481, XACA491, XACA4713, XACA4813, XACA4913 hoist control pendant
XAC Crane control pendant
XACA671, XACA681, XACA691, XACA6713, XACA6813, XACA6913 push button switch for crane
pendant control station
XACA871, XACA881, XACA891, XACA8713, XACA8813, XACA8913 Pendant Control Switch

XACA1071, XACA1081, XACA1091, XACA10713, XACA10813, XACA10913,XACA08H7,XACA10713,
XACA10813, XACA10913

XACA21, XACA22, XACA41, XACA42, XACA61, XACA62, XACA81, XACA82,
XAC A201, XAC A211,XAC A2013, XAC A2113, XAC A2014, XAC A2114, XAC A207,XAC A217,XAC A207,

XAC A921, XAC A923, XAC A913,XAC D21A0101,XAC D22A0105,XAC D21A1231, XAC D22A1241,XAC D901,
XAC D902, ZB2 SZ3, Empty enclosures: XAC A02,XAC A03,XAC A04,XACA05,XAC A06,XAC A07,XAC
A08,XAC A09,XAC A10,XAC A11,XAC A12, XAC B961, XEN T1192, XEN G1191, XEN G37*1, XAC A982,
XAC A971, XAC A983

Product Image Item Name-

XAC Crane Pendant Control Stations
XAC-A2713 push button pendant
XAC-A2913 hoist control pendant
XAC-A4713 push button switch for crane
XAC-A4913 push button switch for hoist
XAC-A6713 pendant control station
XACA2073 Double insulated control station
XACA271 single speed pushbutton
XACA2713 pendent control
XACA281 pendent control station
XACA291 Telemecanique Pendant Control
XACA2913 telecanique pendant control
XACA471 schneider electric pushbutton
XACA4713 crane control pendant
XACA491 hand remote control
XACA4913 hoist control
XACA4913 pushbutton for crane
XACA671 hoist switch
XACA6713 push button
XACA6713Y with stop key for Russia
XACA691 fork lift button
XACA6913 switch box
XACA871 industrial control pushbutton